

**Notice of Allowability**

Application No.

09/403,090

Examiner

Tu T. Nguyen

Applicant(s)

LEIRFALL, LASSE

Art Unit

2877

AW

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 08/19/2004.
2. ☒ The allowed claim(s) is/are 19-23 and 34-38.
3. ☒ The drawings filed on 31 October 2002 are accepted by the Examiner.
4. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☒ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
  - \* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

- |   |  |
|---|--|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892)  | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)            |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                | 6. <input type="checkbox"/> Interview Summary (PTO-413),<br>Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),<br>Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment                    |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit<br>of Biological Material          | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance   |
|   | 9. <input type="checkbox"/> Other _____.   |

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Joseph Gorski on 09/13/2004.

The application has been amended as follows:

- 1) Claim 19, line 6, change "an electrical consumer" to --the electrical consumer--
- 2) Claim 20, line 1, change "an optical" to – the optical –
- 3) Claim 20, line 2, change "a light beam" to – the light beam –
- 4) Claim 21, line 1, change "an optical" to – the optical –
- 5) Claim 21, line 2, change "a light beam" to – the light beam –
- 6) Claim 22, line 1, change "an optical" to – the optical –
- 7) Claim 22, line 2, change "a light beam" to – the light beam –
- 8) Claim 22, line 3, change "an optical measurement" to – the optical measurement –
- 9) Claim 23, line 1, change "an optical" to – the optical –
- 10) Claim 23, line 2, change "a light beam" to – the light beam –

Art Unit: 2877

11) Claim 23, line 3, change "an optical measurement" to – the optical measurement --

12) Claim 34, line 1, change "an optical measurement" to – the optical measurement --

13) Claim 34, line 2, change "a light beam" to – the light beam –

14) Claim 34, line 2, change "a surface" to – the surface –

15) Claim 34, line 3, change "an optical measurement" to – the optical measurement --

16) Claim 35, line 1, change "an optical measurement" to – the optical measurement --

17) Claim 35, line 2, change "a light beam" to – the light beam –

18) Claim 35, line 4, change "a light beam" to – the light beam –

19) Claim 36, line 1, change "an optical measurement" to – the optical measurement --

20) Claim 36, line 2, change "a light beam" to – the light beam –

21) Claim 37, line 1, change "an optical measurement" to – the optical measurement --

22) Claim 37, line 2, change "a light beam" to – the light beam –

23) Claim 37, line 3, change "an optical measurement" to – the optical measurement –

24) Claim 38, line 1, change "an optical measurement" to – the optical measurement --

Art Unit: 2877

25) Claim 38, line 2, change "a light beam" to – the light beam –

26) Claim 38, line 3, change "an optical measurement" to – the optical measurement –

### **REASONS FOR ALLOWANCE**

The following is an examiner's statement of reasons for allowance:

Prior arts of record do not disclose a method for monitoring a contaminated, dirty or flammable condition within an electrical consumer appliance. The method comprises: using an indicator, connected to an optical measurement device, to specify a measurement value that is a function of the measured attenuation of a light beam so as to indicate a thickness of the dust on the surface of the electrical consumer appliance and thereby indicate when an amount of dust on said surface exceeds an acceptable limit which structurally arranged and functionally operated as claimed in claim 19.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tu T. Nguyen whose telephone number is (571) 272-2424. The examiner can normally be reached on T-F 7:30-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gregory Toatley Jr. can be reached on (571) 272-2800 Ext. 77. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 2877

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Tu T. Nguyen  
Primary Examiner  
Art Unit 2877

09/17/2004